

Index

- ASP, 26
- Audio
 - compression, 466
 - digital, 464–465
 - embed tag, 469
 - embedded, 468
 - file formats, 466–467
 - HTTP streaming, 470
 - MP3, 467
 - object tag, 468
 - PCM encoding, 465
 - playlist, 470
 - pseudo streaming, 471
 - quantization, 465
 - sampling, 465
 - sampling theorem, 465
 - in Web page, 468–470
- Audio File Formats, 466
- background
 - attachment, 221
 - color, 232
 - image, 221
 - position, 221
 - repeat, 221
- Background, transparent, 228
- CGI, 25
 - club membership, 300–303
 - content length, 307
 - content type, 307
 - environment variables, 304–305
 - error handling, 308
 - first example, 297–299
 - input processing, 296
 - output format, 296
 - overview, 294–296
 - program deployment, 299
 - program outline, 295
 - sending email, 302
- CGI example, page search, 530–535
- cgi-bin, 299
- Character encoding, 70–71
- Client-side scripting, 312
- Code Generation Call Syntax, 541
- Color, active and passive, 241
- Content Type and File Suffix, 14
- Content Types, 14–15
- Core attributes, 37
- CSS
 - a: hover, 202
 - attach Web page, 191
 - background-color, 44
 - block box, 203
 - border, 205
 - border-style, 208
 - border-width, 208
 - Cascade, 235–236
 - color, 44
 - color values, 45–46
 - defined buttons, 209–211

- defined rollover, 200–202
- display, 221
- fixed banners, 225
- fixed positioning, 231
- font-family, 46
- font-size, 47
- font-weight, 47
- fonts, 46–48
- formatting model, 203–208
- history, 192
- image borders, 215
- inline box, 203
- introduction, 189–193
- length units, 45
- letter-spacing, 378
- line-height, 48
- list-style-image, 51
- list-style-type, 50
- margin, 205
- margin collapsing, 206
- padding, 205
- and page layout, 231–235
- position, 222
- positioning, 222–230
- positioning vs. frames, 231
- properties generally, 200
- selector examples, 198
- selector specificity, 199
- selectors, 196–200
- stack levels, 228–230
- style declarations, 189
- style inheritance, 190
- style rule, 190
- text-align, 44
- text-indent, 44
- Tic Tac Toe board, 394
- validation, 235
- vertical-align, 60
- visibility, 229
- white-space, 222
- z-index, 228
- CSS position
 - absolute, 223
 - fixed, 224
 - relative, 222
 - static, 222
- CSS1, 192
- CSS2, 192
- DHTML, 353
 - adding page content, 381–387
 - animation speed, 378
 - aspects of, 353
 - fade in, 376–378
 - guided form, 374–375
 - session-recording calculator, 381–383
 - smart form, 383–387
 - table sorting, 387–390
 - Tic Tac Toe, 393–396
- div of images, 219
- DNS, 10
- document
 - body, 380
 - cookie, 380
 - createElement(), 381
 - createTextNode(), 381
 - documentElement, 380
 - domain, 380
 - element lists, 380
 - getElementById(), 381
 - getElementsByName(), 381
 - referrer, 380
 - title, 380
 - URL, 380
- Document Object Model, 354–358
- DOM, 354–358
 - API overview, 358–360
 - architecture, 357–358
 - browser support, 358
 - calculator, 360–362
 - and character case, 373
 - document object, 380
 - document.getElementById, 356
 - Event, 379
 - first program, 355–356
 - and frames, 398–400
 - history, 357–358
 - HTMLDocument, 380–387
 - HTMLElement, 360
 - insertBefore, 386
 - MouseEvent, 379
 - NamedNodeMap, 365
 - Node, 359, 362–366
 - NodeList, 365

- objects, methods and fields, 358
- setAttribute, 387
- structure integrity, 390
- tree, 354
- tree structure, 359
- tree traversal, 366–368
- visual navigation, 369–372
- and Web services, 400–402
- and windows, 396–397
- DOM Node
 - appendChild(), 366, 390
 - Attr, 360
 - attributes, 365
 - child and sibling, 363
 - childNodes, 363
 - hasAttributes(), 366
 - hasChildNodes(), 366
 - HTMLDocument, 360
 - HTMLElement, 360
 - insertBefore(), 366
 - nodeType, 363
 - nodeValue, 363
 - normalize(), 365
 - removeChild(), 366
 - replaceChild(), 366
 - sorting, 390–392
 - Text, 360
- Domain Name Registrars, 9
- Domain Registration, 18–20
- Elastic banner, 213–215
- Environment variable, 304
- Event
 - form, 344
 - keyboard, 344
 - mouse, 343
 - onblur, 333
 - onchange, 342
 - onclick, 337
 - onload, 318, 362
 - window, 343
- event object, 344
- Ex
 - AbsoluteNav, 223
 - Accents, 72
 - AccessKey, 288
 - Alert, 330
 - Angels, 479
 - Area, 281
 - Attach, 221
 - AttrAccess, 365
 - Bging, 221
 - BodyStyle, 89
 - BookStyle, 452, 453
 - BulletType, 50
 - Button, 209, 285
 - ButtonBar, 210
 - Caption, 228
 - Cart, 76, 79
 - Center, 62
 - CenteredTable, 79
 - CenterStyle, 195
 - CenterText, 44
 - CheckBoxes, 282
 - ChildNodes, 364
 - Chinese, 71
 - CodeGen, 541
 - ColGroup, 84
 - Colors, 45
 - Confirm, 330
 - Convert, 335, 362
 - CSSLLayout, 231
 - CSSLLayout, 222
 - CthdQt, 476
 - CthdReal, 478
 - Date, 313, 314
 - Depth, 112
 - DomainCheck, 548, 554
 - DomCalc, 360, 381, 382, 404
 - DomDft, 366, 404
 - DomHello, 355, 404
 - DomNav, 369, 404
 - DomSession, 382
 - DragDrop, 379
 - DropRaise, 212
 - Elastic, 213
 - EmailCheck, 337
 - ExampleName, 3
 - FadeIn, 376, 379
 - FieldSet, 288
 - FileUpload, 285
 - FirstPage, 33, 37
 - Fixed, 225
 - FixedNav, 224

- FlashObjTag, 496
- Float, 59
- FloatClear, 59
- FloatTable, 79
- FocusSP, 118
- FontFamily, 46
- FontSize, 44
- FormTable, 289
- FormToMail, 521, 522, 528, 553
- Fortune, 400
- Fruits, 16
- Greek, 72
- GreenBlackBars, 498
- Grid3, 178
- GuidedForm, 374
- Heading, 38
- Hello, 297, 300, 310
- Hrule, 41
- HtmlBegin, 520
- ICMPPage, 225
- ImageAlign, 60
- ImageGet, 307
- ImageInput, 285
- ImageMap, 63
- ImgRoll, 317
- IndentFirst, 44
- InPlace, 378
- JoinClub, 300, 554
- KeyEvent, 344
- Lindbergh, 479
- List, 49
- MarkerStyle, 51
- MenuAction, 341
- MlkLink, 468
- MlkObj, 468
- MlkObjEmbed, 469
- Mp3Songs, 471
- Navbar, 200, 206
- NavBorder, 206
- Nest, 85, 222
- NoUnity, 115
- OptGroup, 284
- PageSearch, 530, 554
- PerlArray, 509
- PerlAsso, 510
- PerlCat, 514
- PerlCmdLine, 507, 553
- PerlRef, 519
- Phoenix, 38
- PopupWindow, 332
- Position, 222
- Pre, 42
- Preload, 318
- Prompt, 331
- PullDown, 283
- Quote, 40
- RadioButton, 281
- Reallinks, 479
- RGB2HSB, 260
- RollImgBar, 215, 221
- Rollover, 316
- RowGroup, 83
- Rules, 82
- Rushmore, 64
- S, 72
- Scroll, 345
- SimpleForm, 278
- SimpleTable, 74
- Slides, 333, 344
- SmartForm, 383, 387
- Spans, 81
- StdNavbar, 319, 351, 352
- Symbols, 71
- TableSort, 387
- Tablestructure, 74
- TableStyle, 79
- TableWidth, 80
- TemplateOne, 454
- TicTacToe, 393
- TryCode, 398
- UnixPW, 536
- UnTaint, 538
- VCenter, 397, 404
- WaysUnity, 116
- WhichType, 363
- Whois, 19
- Fade-in colors, 376
- Filler/spacer
 - clear GIF, 444
 - hr, 444
- Float, clearing, 59
- Fluid grids, 213
- Form processing, 277
- Form, building blocks, 110
- Form-control elements, 280
- Form-urlencoding, 293
- frame, 95–96

- Frames, 93–97
 - pros and cons, 96–97
- frameset, 93
- Graphics
 - GIF, 264
 - JPEG, 264
 - PNG, 264
 - raster, 263
 - SVG, 263
 - vector, 263
- HTML
 - area, 62
 - basics, 32–33
 - centering a block element, 79
 - character accents, 72
 - Chinese characters, 71
 - col, 85
 - colgroup, 83
 - deprecated features, 35
 - div, 44
 - editing, 64–66
 - element label, 53
 - elements, 34–35
 - entities, 71–73
 - form, 278–280
 - form basics, 279
 - form controls, 280–288
 - form syntax, 280
 - general info, 16
 - Greek characters, 72
 - headings, 38
 - history, 35
 - horizontal rules, 40
 - hr, 40
 - hyperlinks, 51–57
 - image as link, 58
 - image floating, 59
 - img, 57
 - inline elements, 43
 - inline images, 57–62
 - label, 282
 - line break, 39
 - line wrapping, 41
 - list styles, 50
 - lists, 48–51
 - map, 62
 - math symbols, 72
 - nonbreaking space, 39
 - paragraph, 38
 - preformatted text, 42
 - presentation style, 43–51
 - quotations, 39
 - soft hyphen, 42
 - text line termination, 66
 - tidy**, 66
 - white space, 41
- HTML Elements
 - MAP, 62
- HTML form
 - access key, 288
 - fieldset, 288
 - optgroup element, 284
 - option element, 283
 - select element, 283
 - tabbing order, 288
 - textarea element, 281
- HTML form layout, 288–290
- HTML element, 369–374
 - click(), 374
 - focus(), 373
 - getAttribute(), 373
 - hasAttribute(), 373
 - innerHTML, 373
 - name and value, 373
 - removeAttribute(), 373
 - select(), 374
 - setAttribute(), 373
 - style, 372
 - tagName, 372
- HTTP, 26–28
 - basics, 290–291
 - GET query, 293
 - message format, 291–294
 - POST query, 292
 - POST vs. GET, 294
- Hyperlink
 - internal/external, 54
 - styles, 57
- Hypertext, 12
- ICANN, 8
- Image
 - anti-aliasing, 264–265
 - composed by div, 219
 - composed by table, 217
 - dithering, 265

560

INDEX

- Image map, 62–64
- Images
 - gaps between, 88
 - piecing together, 217–219
- Inline image positioning, 60
- input
 - checkbox, 282
 - file, 285
 - hidden, 286
 - image, 285
 - password, 287
 - radio, 281
 - reset, 287
 - text, 280
- Internet
 - address, 8
 - Client and Server, 9
 - DNS, 10–11
 - introduction, 7–9
 - TLD, 10
- JavaScript
 - arrays, 321
 - calculator, 335–337
 - comparisons, 324
 - console, 348
 - debugger, 348
 - dialog window, 330
 - document images, 321
 - ECMA standard, 316
 - email check, 339–341
 - embedding, 314–315
 - eval, 382
 - event objects, 344
 - events, 343–347
 - file attachment, 315
 - first program, 313–314
 - form checking, 337–341
 - functions, 324–325
 - history, 315
 - image preloading, 317
 - introduction, 312
 - menu actions, 341–343
 - navigation bar, 318–329
 - new window, 332
 - objects, 329
 - pattern characters, 327
 - pattern matching, 325–329
 - pattern memory, 326
 - pattern substitution, 328
 - quicksort function, 391–392
 - and rollovers, 316–318
 - script placement, 314
 - scrolling text, 345–347
 - setInterval, 345
 - setTimeout, 378
 - setTimeout, 345
 - / operator, 337
 - slide show, 333–335
 - string concatenation, 314
 - string replacement, 328
 - test, debug, 347–349
 - Tic Tac Toe, 394–396
 - user interactions, 333–337
 - window history, 330
 - windows, 330–333
- JavaScript function
 - Number, 324
 - String, 324
- JSP, 26
- Leading, defined, 204
- Line wrapping, preventing, 86
- List
 - bullet, 48
 - definition, 48, 49
 - ordered, 48
- MIME, 14
- MPEG, 467
- Name Servers, 20–22
- Netscape, JavaScript console, 348
- onload event, 322
- Partition element, 390
- Pattern examples, 328
- Perl
 - argument passing, 518
 - array length, 509
 - data context, 512–513
 - environment variable notation, 305
 - escape character, 299
 - file checks, 515
 - function arguments, 307
 - function call, 302
 - function chomp, 514

INDEX

561

- function local variables, 307
- hash array, 510–511
- numerical string, 513
- operators, 511–512
- string, 299
- taint-guarded operations, 538
- undefined value, 510
- PHP, 26
- Pixel, 263
- Position, bottom, 234
- Printer friendly, 230–231
- Rollover, 200
- SGML, 36
- Style
 - background, 220–221
 - borders, 206
 - box height, 204
 - centering and indenting, 194–196
 - hyperlinks, 215–217
 - lists, 221
 - rules, 191
 - text, 211–213
 - whole page, 193
 - width and height, 80
- style element, 192
- Style property, 44
- Style sheet, 190
- Table
 - cell content alignments, 75–76
 - centering, 195
 - width and height, 80–81
- Table caption
 - caption-side style, 79
- Table of images, 217
- table structure, 85
- target, 96
- Text
 - kerning, 166
 - tracking, 166
- Text file line terminators, 67
- Two Letter Language Codes, 99
- UCS, 70
- URL encoding, 53
- UTF-16, 71
- UTF-8, 71
- Video, digital, 475–476
- Web
 - development process, 22–25
 - general info, 11
 - hosting, 18
 - page generation, 25–26
 - placing info on, 15–16
 - URLs, 12–13
- Web site, file organization, 54
- XHTML, 31
 - Boolean attributes, 281
 - event attributes, 343–344
 - syntax, 36–38